

助剂选择表 热塑性塑料改性用助剂

相容剂

稳定剂

偶联剂



聚乙烯 (1/2)

应用	天然纤维增强体系	矿物填充体系	玻璃纤维增强体系	颜料填充体系	非增强体系
润湿分散剂	BYK-MAX P 4101 ● BYK-MAX P 4102 ●	BYK-MAX P 4101 ● BYK-MAX P 4102 ●	BYK-MAX P 4101 ● BYK-MAX P 4102 ●	BYK-MAX D 4221 ● BYK-MAX P 4102 ● DISPERPLAST-1150 ● BYK-9076 ○ BYK-9077 ○	
偶联剂	SCONA 12031 ● SCONA TPPE 1102 GALL ● SCONA TSPE 2102 GAHD ● SCONA TPPE 1212 PAHD ○ SCONA TPPE 5002 PALL ○	SCONA 12031 ● SCONA TPPE 1102 GALL ● SCONA TSPE 2102 GAHD ● SCONA TPPE 1212 PAHD ○ SCONA TPPE 5002 PALL ○	SCONA 12031 ● SCONA TPPE 1102 GALL ● SCONA TSPE 2102 GAHD ● SCONA TPPE 1212 PAHD ○ SCONA TPPE 5002 PALL ○	SCONA 12031 ●	
除味剂	BYK-MAX OR 4206 ● BYK-MAX P 4200 ●	BYK-MAX OR 4206 ● BYK-MAX P 4200 ●	BYK-MAX OR 4206 ● BYK-MAX P 4200 ●	BYK-MAX OR 4206 ● BYK-MAX P 4200 ●	BYK-MAX OR 4206 ● BYK-MAX P 4200 ●
耐刮擦剂	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●
阻燃剂	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●
阻燃协效剂	BYK-MAX CT 4260 ● CLOISITE-SE 3000 ● CLOISITE-20 A ●	BYK-MAX CT 4260 ● CLOISITE-SE 3000 ● CLOISITE-20 A ●	BYK-MAX CT 4260 ● CLOISITE-SE 3000 ● CLOISITE-20 A ●		
UV 稳定剂	RECYCLOBYK 4372 ●	RECYCLOBYK 4372 ●	RECYCLOBYK 4372 ●	RECYCLOBYK 4372 ●	RECYCLOBYK 4372 ●
热稳定剂	RECYCLOBYK 4371 ● RECYCLOBYK 4375 ● RECYCLOBYK 4370 ○ RECYCLOBYK 4373 ○ RECYCLOBYK 4374 ○	RECYCLOBYK 4371 ● RECYCLOBYK 4373 ● RECYCLOBYK 4374 ● RECYCLOBYK 4375 ● RECYCLOBYK 4370 ○	RECYCLOBYK 4371 ● RECYCLOBYK 4375 ● RECYCLOBYK 4370 ○ RECYCLOBYK 4373 ○ RECYCLOBYK 4374 ○	RECYCLOBYK 4371 ● RECYCLOBYK 4375 ● RECYCLOBYK 4370 ○ RECYCLOBYK 4373 ○ RECYCLOBYK 4374 ○	RECYCLOBYK 4371 ● RECYCLOBYK 4375 ● RECYCLOBYK 4370 ○ RECYCLOBYK 4373 ○ RECYCLOBYK 4374 ○

● 第一推荐 ○ 第二推荐

聚乙烯 (2/2)

应用	天然纤维增强体系	矿物填充体系	玻璃纤维增强体系	颜料填充体系	非增强体系
成核剂	BYK-MAX NU 4230 LDPE ●	BYK-MAX NU 4230 LDPE ●	BYK-MAX NU 4230 LDPE ●	BYK-MAX NU 4230 LDPE ●	BYK-MAX NU 4230 LDPE ●
相容剂	SCONA TPPE 1102 GALL ● SCONA TSPOE 1002 GBLT ● RECYCLOBYK 4373 ○ RECYCLOBYK 4374 ○ SCONA TSEB 2113 GB ○ SCONA TSIN 4013 GC ○ SCONA TSKD 9103 ○	RECYCLOBYK 4373 ● RECYCLOBYK 4374 ● SCONA TPPE 1102 GALL ● SCONA TSPOE 1002 GBLT ● SCONA TSEB 2113 GB ○ SCONA TSIN 4013 GC ○ SCONA TSKD 9103 ○		RECYCLOBYK 4373 ● RECYCLOBYK 4374 ● SCONA TPPE 1102 GALL ● SCONA TSPOE 1002 GBLT ● SCONA TSEB 2113 GB ○ SCONA TSIN 4013 GC ○ SCONA TSKD 9103 ○	RECYCLOBYK 4373 ● RECYCLOBYK 4374 ● SCONA TPPE 1102 GALL ● SCONA TSPOE 1002 GBLT ● SCONA TSEB 2113 GB ○ SCONA TSIN 4013 GC ○ SCONA TSKD 9103 ○
阻隔剂				CLOISITE-20 A ● BYK-MAX CT 4260 ○	CLOISITE-20 A ● BYK-MAX CT 4260 ○
加工助剂	BYK-MAX P 4101 ● BYK-MAX P 4102 ● BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ○ BYK-P 4100 ○	BYK-MAX P 4101 ● BYK-MAX P 4102 ● BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ○ BYK-P 4100 ○	BYK-MAX P 4101 ● BYK-MAX P 4102 ● BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ○ BYK-P 4100 ○	BYK-MAX P 4101 ● BYK-MAX P 4102 ● BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ○ BYK-P 4100 ○	BYK-MAX P 4101 ● BYK-MAX P 4102 ● BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ○ BYK-P 4100 ○

● 第一推荐 ○ 第二推荐

聚丙烯 (1/2)

应用	天然纤维增强体系	矿物填充体系	玻璃纤维增强体系	颜料填充体系	非增强体系
润湿分散剂	BYK-MAX P 4101 ● BYK-MAX P 4102 ●	BYK-MAX P 4101 ● BYK-MAX P 4102 ●	BYK-MAX P 4102 ●	BYK-MAX D 4221 ● BYK-MAX P 4102 ● DISPERPLAST-1150 ● BYK-9076 ○ BYK-9077 ○	
偶联剂	SCONA TPPP 8112 GA ● SCONA TPPP 9212 GA ● SCONA TSPP 10213 GB ● SCONA TSPP 8219 GA ● SCONA 20097 ○ SCONA 20098 ○ SCONA TSPP 22113 GA ○	SCONA TPPP 2003 GB ● SCONA TPPP 2112 GA ● SCONA TPPP 9112 GA ● SCONA TSPP 8219 GA ○	SCONA TPPP 8112 GA ● SCONA TPPP 9012 GA ● SCONA TPPP 9112 GA ● SCONA TSPP 22113 GA ● SCONA 20097 ○ SCONA 20098 ○ SCONA TPPP 9212 GA ○ SCONA TSPP 10213 GB ○ SCONA TSPP 8219 GA ○		SCONA TSPPR 30113 GB ● SCONA TSPPR 31113 GB ●
除味剂	BYK-MAX OR 4207 ● BYK-MAX P 4200 ● BYK-MAX OR 4206 ○	BYK-MAX OR 4207 ● BYK-MAX P 4200 ● BYK-MAX OR 4206 ○	BYK-MAX OR 4207 ● BYK-MAX P 4200 ● BYK-MAX OR 4206 ○	BYK-MAX OR 4207 ● BYK-MAX P 4200 ● BYK-MAX OR 4206 ○	BYK-MAX OR 4207 ● BYK-MAX P 4200 ● BYK-MAX OR 4206 ○
耐刮擦剂	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●
阻燃剂	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●
阻燃协效剂	BYK-MAX CT 4260 ● CLOISITE-20 A ● CLOISITE-SE 3000 ● BYK-MAX FR 4144 ○	BYK-MAX CT 4260 ● CLOISITE-20 A ● CLOISITE-SE 3000 ● BYK-MAX FR 4144 ○	BYK-MAX CT 4260 ● CLOISITE-20 A ● CLOISITE-SE 3000 ● BYK-MAX FR 4144 ○		
UV 稳定剂	RECYCLOBYK 4372 ● BYK-MAX LS 4125 ○	RECYCLOBYK 4372 ● BYK-MAX LS 4125 ○	RECYCLOBYK 4372 ● BYK-MAX LS 4125 ○	RECYCLOBYK 4372 ● BYK-MAX LS 4125 ○	RECYCLOBYK 4372 ● BYK-MAX LS 4125 ○
热稳定剂	BYK-MAX HS 4301 ● BYK-MAX HS 4302 ○ BYK-MAX HS 4303 ○ BYK-MAX HS 4311 ○ RECYCLOBYK 4370 ○ RECYCLOBYK 4371 ○ RECYCLOBYK 4373 ○ RECYCLOBYK 4375 ○ 黑色产品: BYK-MAX HS 4332 ○	BYK-MAX HS 4311 ● RECYCLOBYK 4373 ● BYK-MAX HS 4301 ○ BYK-MAX HS 4302 ○ BYK-MAX HS 4303 ○ RECYCLOBYK 4370 ○ RECYCLOBYK 4371 ○ RECYCLOBYK 4373 ○ RECYCLOBYK 4375 ○ 黑色产品: BYK-MAX HS 4332 ○ BYK-MAX HS 4334 ○	BYK-MAX HS 4301 ● BYK-MAX HS 4302 ○ BYK-MAX HS 4303 ○ BYK-MAX HS 4311 ○ RECYCLOBYK 4370 ○ RECYCLOBYK 4371 ○ RECYCLOBYK 4373 ○ RECYCLOBYK 4375 ○ 黑色产品: BYK-MAX HS 4334 ● BYK-MAX HS 4332 ○	BYK-MAX HS 4301 ● BYK-MAX HS 4311 ● BYK-MAX HS 4302 ○ BYK-MAX HS 4303 ○ RECYCLOBYK 4370 ○ RECYCLOBYK 4371 ○ RECYCLOBYK 4373 ○ RECYCLOBYK 4375 ○	BYK-MAX HS 4301 ● BYK-MAX HS 4302 ○ BYK-MAX HS 4303 ○ BYK-MAX HS 4311 ○ RECYCLOBYK 4370 ○ RECYCLOBYK 4371 ○ RECYCLOBYK 4373 ○ RECYCLOBYK 4375 ○ 黑色产品: BYK-MAX HS 4334 ● BYK-MAX HS 4332 ○

聚丙烯 (2/2)

应用	天然纤维增强体系	矿物填充体系	玻璃纤维增强体系	颜料填充体系	非增强体系
成核剂	BYK-MAX NU 4230 PP ● BYK-MAX NU 4232 ● BYK-MAX NU 4230 LDPE ○	BYK-MAX NU 4230 PP ● BYK-MAX NU 4232 ● BYK-MAX NU 4230 LDPE ○	BYK-MAX NU 4230 PP ● BYK-MAX NU 4232 ● BYK-MAX NU 4230 LDPE ○	BYK-MAX NU 4230 PP ● BYK-MAX NU 4232 ● BYK-MAX NU 4230 LDPE ○	BYK-MAX NU 4230 PP ● BYK-MAX NU 4232 ● BYK-MAX NU 4230 LDPE ○
相容剂	RECYCLOBYK 4373 ● SCONA TPPP 2003 GB ● SCONA TPPP 2112 GA ● SCONA TPPP 1616 FA ○ SCONA TPPP 8104 FA ○	RECYCLOBYK 4373 ● SCONA TPPP 2003 GB ● SCONA TPPP 2112 GA ● SCONA TPPP 1616 FA ○ SCONA TPPP 8104 FA ○		RECYCLOBYK 4373 ● SCONA TPPP 2003 GB ● SCONA TPPP 2112 GA ● SCONA TPPP 1616 FA ○ SCONA TPPP 8104 FA ○	RECYCLOBYK 4373 ● SCONA TPPP 2003 GB ● SCONA TPPP 2112 GA ● SCONA TPPP 1616 FA ○ SCONA TPPP 8104 FA ○
阻隔剂				CLOISITE-20 A ● BYK-MAX CT 4260 ○	CLOISITE-20 A ● BYK-MAX CT 4260 ○
加工助剂	BYK-MAX P 4101 ● BYK-MAX P 4102 ● BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ○ BYK-P 4100 ○	BYK-MAX P 4101 ● BYK-MAX P 4102 ● BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ○ BYK-P 4100 ○	BYK-MAX P 4101 ● BYK-MAX P 4102 ● BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ○ BYK-P 4100 ○	BYK-MAX P 4101 ● BYK-MAX P 4102 ● BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ○ BYK-P 4100 ○	BYK-MAX P 4101 ● BYK-MAX P 4102 ● BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ○ BYK-P 4100 ○
功能性填料	BYK-MAX CT 4270 ●	BYK-MAX CT 4270 ●	BYK-MAX CT 4270 ●	BYK-MAX CT 4270 ●	BYK-MAX CT 4270 ●
多功能助剂 (热稳定剂和偶联剂)	BYK-MAX HS 4350 ● 黑色产品: BYK-MAX HS 4342 ● BYK-MAX HS 4344 ●		BYK-MAX HS 4350 ● 黑色产品: BYK-MAX HS 4342 ● BYK-MAX HS 4344 ●		

● 第一推荐 ○ 第二推荐

聚酰胺 (1/2)

应用	矿物填充体系	玻璃纤维增强体系	颜料填充体系	非增强体系
润湿分散剂	BYK-MAX D 4221 ● BYK-MAX P 4101 ● BYK-MAX P 4102 ●	BYK-MAX P 4102 ●	BYK-MAX P 4102 ●	
偶联剂		SCONA TSEB 2113 GB ●		
阻燃协效剂	BYK-MAX CT 4255 ● BYK-MAX CT 4260 ○ CLOISITE-20 A ○	BYK-MAX CT 4255 ● BYK-MAX CT 4260 ○ CLOISITE-20 A ○		
UV 稳定剂	BYK-MAX HS 4300 ● BYK-MAX HS 4305 ● BYK-MAX HS 4304 ○ BYK-MAX HS 4306 ○ BYK-MAX HS 4308 ○	BYK-MAX HS 4300 ● BYK-MAX HS 4305 ● BYK-MAX HS 4304 ○ BYK-MAX HS 4306 ○ BYK-MAX HS 4308 ○	BYK-MAX HS 4300 ● BYK-MAX HS 4305 ● BYK-MAX HS 4304 ○ BYK-MAX HS 4306 ○ BYK-MAX HS 4308 ○	BYK-MAX HS 4300 ● BYK-MAX HS 4305 ● BYK-MAX HS 4304 ○ BYK-MAX HS 4306 ○ BYK-MAX HS 4308 ○
热稳定剂	BYK-MAX HS 4300 ● BYK-MAX HS 4305 ● BYK-MAX HS 4309 ● BYK-MAX HS 4304 ○ BYK-MAX HS 4306 ○ BYK-MAX HS 4308 ○	BYK-MAX HS 4300 ● BYK-MAX HS 4305 ● BYK-MAX HS 4309 ● BYK-MAX HS 4304 ○ BYK-MAX HS 4306 ○ BYK-MAX HS 4308 ○	BYK-MAX HS 4300 ● BYK-MAX HS 4305 ● BYK-MAX HS 4309 ● BYK-MAX HS 4304 ○ BYK-MAX HS 4306 ○ BYK-MAX HS 4308 ○	BYK-MAX HS 4300 ● BYK-MAX HS 4305 ● BYK-MAX HS 4309 ● BYK-MAX HS 4304 ○ BYK-MAX HS 4306 ○ BYK-MAX HS 4308 ○
增韧剂	SCONA TSIN 4013 GC ● SCONA TSPOE 1002 CMB 1-2 ● SCONA TSPOE 1002 GBLL ● SCONA TSPOE 3013 GBLL ● SCONA TPEV 1110 PB ○ SCONA TSEB 2113 GB ○ SCONA TSKD 9103 ○	SCONA TSEB 2113 GB ● SCONA TSIN 4013 GC ● SCONA TSPOE 1002 CMB 1-2 ● SCONA TSPOE 1002 GBLL ● SCONA TSPOE 3013 GBLL ● SCONA TPEV 1110 PB ○ SCONA TSKD 9103 ○	SCONA TSIN 4013 GC ● SCONA TSPOE 1002 CMB 1-2 ● SCONA TSPOE 1002 GBLL ● SCONA TSPOE 3013 GBLL ● SCONA TPEV 1110 PB ○ SCONA TSEB 2113 GB ○ SCONA TSKD 9103 ○	SCONA TSIN 4013 GC ● SCONA TSPOE 1002 CMB 1-2 ● SCONA TSPOE 1002 GBLL ● SCONA TSPOE 3013 GBLL ● SCONA TPEV 1110 PB ○ SCONA TSEB 2113 GB ○ SCONA TSKD 9103 ○
相容剂	SCONA TPPE 1102 GALL ● SCONA TPPP 2003 GB ● SCONA TPPP 2112 GA ● SCONA TSKD 9103 ● SCONA TSPE 2102 GAHD ● SCONA TSPOE 1002 GBLL ●		SCONA TPPE 1102 GALL ● SCONA TPPP 2003 GB ● SCONA TPPP 2112 GA ● SCONA TSKD 9103 ● SCONA TSPE 2102 GAHD ● SCONA TSPOE 1002 GBLL ●	SCONA TPPE 1102 GALL ● SCONA TPPP 2003 GB ● SCONA TPPP 2112 GA ● SCONA TSKD 9103 ● SCONA TSPE 2102 GAHD ● SCONA TSPOE 1002 GBLL ●

● 第一推荐 ○ 第二推荐

聚酰胺 (2/2)

应用	矿物填充体系	玻璃纤维增强体系	颜料填充体系	非增强体系
阻隔剂	BYK-MAX CT 4255 ● CLOISITE-20 A ○	BYK-MAX CT 4255 ● CLOISITE-20 A ○	BYK-MAX CT 4255 ● CLOISITE-20 A ○	BYK-MAX CT 4255 ● CLOISITE-20 A ○
粘度调节剂	SCONA TPEV 1110 PB ●	SCONA TPEV 1110 PB ●	SCONA TPEV 1110 PB ● SCONA TPPE 2400 GAHD ●	SCONA TPEV 1110 PB ● SCONA TPPE 2400 GAHD ●
加工助剂	BYK-MAX P 4102 ●	BYK-MAX P 4102 ●	BYK-MAX P 4102 ●	BYK-MAX P 4102 ●
功能性填料	BYK-MAX CT 4255 ●	BYK-MAX CT 4255 ●	BYK-MAX CT 4255 ●	BYK-MAX CT 4255 ●

● 第一推荐 ○ 第二推荐

热塑性弹性体

应用	颜料填充体系	非增强体系
除味剂	BYK-MAX OR 4206 ● BYK-MAX P 4200 ●	BYK-MAX OR 4206 ● BYK-MAX P 4200 ●
阻燃剂	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●
阻燃协效剂	BYK-MAX CT 4260 ● CLOISITE-20 A ● CLOISITE-SE 3000 ●	
相容剂	RECYCLOBYK 4373 ● SCONA TSKD 9103 ● SCONA TPKD 8304 PCC ○	SCONA TSKD 9103 ● RECYCLOBYK 4373 ○ SCONA TPKD 8304 PCC ○
阻隔剂	CLOISITE-20 A ● BYK-MAX CT 4260 ○	CLOISITE-20 A ● BYK-MAX CT 4260 ○
抗凝结剂	BYK-016 ● BYK-023 ● HORDAMER PE 02 ● AQUACER 531 ○ AQUACER 581 ○	BYK-016 ● BYK-023 ● HORDAMER PE 02 ● AQUACER 531 ○ AQUACER 581 ○
粘接力增强剂	SCONA TPPP 2112 GA ● SCONA TPPP 8112 GA ● SCONA TSKD 9103 ○ SCONA TPKD 8102 PCC ○	SCONA TPPP 2112 GA ● SCONA TPPP 8112 GA ● SCONA TSKD 9103 ○ SCONA TPKD 8102 PCC ○

● 第一推荐 ○ 第二推荐

工业聚酯 (PET、PBT 等)

应用	矿物填充体系	玻璃纤维增强体系	颜料填充体系	非增强体系
润湿分散剂	BYK-MAX D 4221 ● BYK-MAX P 4101 ● BYK-MAX P 4102 ●	BYK-MAX P 4102 ●	BYK-9076 ● BYK-9077 ● BYK-MAX D 4221 ● BYK-MAX P 4102 ● DISPERPLAST-1150 ●	
增韧剂 (抗冲击及撕裂)	SCONA TPPP 2003 GB ● SCONA TPKD 8304 PCC ○ SCONA TSEB 2113 GB ○ SCONA TSPOE 1002 CMB 1-2 ○ SCONA TSPOE 1002 GBLL ○	SCONA TPPP 2003 GB ● SCONA TPKD 8304 PCC ○ SCONA TSEB 2113 GB ○ SCONA TSPOE 1002 CMB 1-2 ○ SCONA TSPOE 1002 GBLL ○	SCONA TPKD 8304 PCC ● SCONA TPPP 2003 GB ● SCONA TSEB 2113 GB ○ SCONA TSPOE 1002 CMB 1-2 ○ SCONA TSPOE 1002 GBLL ○	SCONA TPKD 8304 PCC ● SCONA TPPP 2003 GB ● SCONA TSPOE 1002 GBLL ● SCONA TSEB 2113 GB ○ SCONA TSPOE 1002 CMB 1-2 ○
相容剂		SCONA TPPP 6102 GA ●	RECYCLOBYK 4376 ● RECYCLOBYK 4373 ○ RECYCLOBYK 4374 ○	RECYCLOBYK 4376 ● RECYCLOBYK 4373 ○ RECYCLOBYK 4374 ○
阻隔剂			BYK-MAX CT 4255 ● CLOISITE-20 A ● BYK-MAX CT 4260 ○	BYK-MAX CT 4255 ● CLOISITE-20 A ● BYK-MAX CT 4260 ○
粘度调节剂			RECYCLOBYK 4376 ●	RECYCLOBYK 4376 ●

● 第一推荐 ○ 第二推荐

丙烯腈-丁二烯-苯乙烯 + PC/ABS 共混物

应用	矿物填充体系	玻璃纤维增强体系	颜料填充体系	非增强体系
润湿分散剂	BYK-MAX P 4101 ● BYK-MAX P 4102 ●	BYK-MAX P 4102 ●	BYK-9076 ● BYK-9077 ● BYK-MAX D 4221 ● BYK-MAX P 4102 ● DISPERPLAST-1150 ●	
除味剂	BYK-MAX OR 4206 ● BYK-MAX P 4200 ● BYK-MAX OR 4207 ○	BYK-MAX OR 4206 ● BYK-MAX P 4200 ● BYK-MAX OR 4207 ○	BYK-MAX OR 4206 ● BYK-MAX P 4200 ● BYK-MAX OR 4207	BYK-MAX OR 4206 ● BYK-MAX P 4200 ● BYK-MAX OR 4207 ○
热稳定剂	BYK-MAX HS 4309 ●	BYK-MAX HS 4309 ●	BYK-MAX HS 4309 ●	BYK-MAX HS 4309 ●
相容剂			RECYCLOBYK 4376 ● SCONA TPKD 8304 PCC ●	RECYCLOBYK 4376 ● SCONA TPKD 8304 PCC ●

● 第一推荐 ○ 第二推荐

生物可降解塑料/聚乳酸(PLA)

应用	天然纤维增强体系	颜料填充体系	非增强体系
润湿分散剂	BYK-MAX P 4101 ● BYK-MAX P 4102 ●	BYK-MAX P 4101 ● BYK-MAX P 4102 ●	
偶联剂	SCONA TPPL 1112 PA ● SCONA TPPL 5112 PA ○	SCONA TPPL 1112 PA ● SCONA TPPL 5112 PA ○	
相容剂	SCONA TPKD 8304 PCC ● SCONA TPPP 8104 FA ●	SCONA TPKD 8304 PCC ● SCONA TPPP 8104 FA ●	SCONA TPKD 8304 PCC ● SCONA TPPP 8104 FA ●
阻隔剂		BYK-MAX CT 4255 ● CLOISITE-20 A ● BYK-MAX CT 4260 ○	BYK-MAX CT 4255 ● CLOISITE-20 A ● BYK-MAX CT 4260 ○
粘度调节剂	SCONA TPPL 1214 PA ● SCONA TPPL 1310 PA ○	SCONA TPPL 1214 PA ● SCONA TPPL 1310 PA ○	SCONA TPPL 1214 PA ● SCONA TPPL 1310 PA ○
加工助剂	BYK-MAX P 4101 ● BYK-MAX P 4102 ●	BYK-MAX P 4101 ● BYK-MAX P 4102 ●	BYK-MAX P 4101 ● BYK-MAX P 4102 ○

● 第一推荐 ○ 第二推荐

液体色浆

应用	用于 PE 和 PP 的颜料分散	用于 PET 的颜料分散
钛白粉	BYK-MAX D 4220 ● BYK-P 4100 ● DISPERPLAST-1150 ●	BYK-MAX D 4220 ● BYK-P 4100 ● DISPERBYK-192 ● DISPERPLAST-1150 ●
无机颜料	BYK-MAX D 4220 ● BYK-P 4100 ● DISPERPLAST-1150 ●	BYK-MAX D 4220 ● BYK-P 4100 ● DISPERBYK-192 ● DISPERPLAST-1150 ●
有机颜料	BYK-9076 ● BYK-MAX D 4220 ● BYK-P 4100 ●	BYK-9076 ● BYK-MAX D 4220 ● BYK-P 4100 ● DISPERBYK-192 ●
炭黑 (酸性/中性)	BYK-9076 ● BYK-MAX D 4220 ●	BYK-9076 ● BYK-MAX D 4220 ● DISPERBYK-192 ●
炭黑 (碱性)	BYK-9077 ● BYK-MAX D 4220 ●	BYK-9077 ● BYK-MAX D 4220 ● DISPERBYK-192 ●

● 第一推荐 ○ 第二推荐

上海总部:
86-21-3749 8888
北京:
86-10-5975 5581
广州:
86-20-3221 1601
台湾:
886-3-357 0770

info@byk.com
www.byk.com

ADD-MAX®, ADD-VANCE®, ANTI-TERRA®, AQUACER®, AQUAMAT®, AQUATIX®, BENTOLITE®, BYK®, BYK-AQUAGEL®, BYK-DYNWET®, BYK-MAX®, BYK-SILCLEAN®, BYKANOL®, BYKCARE®, BYKETOL®, BYKJET®, BYKO2BLOCK®, BYKONITE®, BYKOPLAST®, BYKUMEN®, CARBOBYK®, CERACOL®, CERAFAK®, CERAFLLOUR®, CERAMAT®, CERATIX®, CLAYTONE®, CLOISITE®, DISPERBYK®, DISPERPLAST®, FULACOLOR®, FULCAT®, GARAMITE®, GELWHITE®, HORDAMER®, LACTIMON®, LAPONITE®, MINERPOL®, NANOBYPK®, OPTIBENT®, OPTIFLO®, OPTIGEL®, POLYAD®, PRIEX®, PURABYPK®, PURE THIX®, RECYCLOBLEND®, RECYCLOBYK®, RECYCLOSSORB®, RECYCLOSTAB®, RHEOBYK®, RHEOCIN®, RHEOTIX®, SCONA®, SILBYK®, TIXOGEL® 和 VISCOBYK® 是毕克化学集团的注册商标。

本资料是根据我们目前掌握的知识和经验。这些信息仅描述了我们的产品性能,但不从法律意义上对产品性能作担保。我们建议先对我们的产品做测试来确定其能否达到您预期的使用效果。对于本资料所提及的任何产品、数据或信息,或上述产品、数据或信息可在不侵犯第三方知识产权下使用,我们不提供任何形式的担保,明示或暗示的保证,包括适销性或针对特定用途的担保。我们保留因科技发展或深入研发而作出更改的权利。

此版本取代所有之前的版本 - 中国印刷

